



The Addams Family Musical

Ohio Northern University
Freed Center for the Performing Arts

Lighting Designer: Trey Brazeal
Asst Lighting Designer: Ren Cassidy
tbrazealsesigns@gmail.com

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(1)	1ST CAT HI	DSL	1	ETC Source4 26deg	575w	L202+R119	
(2)	1ST CAT HI	DSL	2	ETC Source4 26deg	575w	L202+R119	
(3)	1ST CAT HI	DSC	3	ETC Source4 26deg	575w	L202+R119	
(4)	1ST CAT HI	DSCR	5	ETC Source4 26deg	575w	L202+R119	
(5)	1ST CAT HI	DSR	6	ETC Source4 26deg	575w	L202+R119	
(6)	1ST CAT LO	MSL	2	ETC Source4 26deg	575w	L202+R119	
(7)	1ST CAT LO	MSLC	3	ETC Source4 26deg	575w	L202+R119	
(8)	1ST CAT LO	MSC	4	ETC Source4 26deg	575w	L202+R119	
(9)	1ST CAT LO	MSCR	5	ETC Source4 26deg	575w	L202+R119	
(10)	1ST CAT LO	MSR	9	ETC Source4 26deg	575w	L202+R119	
(11)	0A ELECTRIC	USL	8	ETC Source4 26deg	575w	L202+R119	
(12)	0A ELECTRIC	USLC	2	ETC Source4 26deg	575w	L202+R119	
(13)	1ST ELECTRIC	USC	11	ETC Source4 26deg	575w	L202+R119	
(14)	0A ELECTRIC	USRC	3	ETC Source4 26deg	575w	L202+R119	
(15)	0A ELECTRIC	USR	13	ETC Source4 26deg	575w	L202+R119	
(31)	#1 HR BOX BOOM	< Side	4	ETC Source4 26deg	575w	L174+R119	
(32)	#1 HR BOX BOOM	< Side	3	ETC Source4 26deg	575w	L174+R119	
(33)	#1 HR BOX BOOM	< Side	2	ETC Source4 36deg	575w	L174+R119	
(34)	#1 HR BOX BOOM	< Side	1	ETC Source4 36deg	575w	L174+R119	
(35)	0A ELECTRIC	< Hi Side	1	ETC Source4 36deg	575w	L174+R119	
(36)	0A ELECTRIC	< Hi Side	2	ETC Source4 36deg	575w	L174+R119	
(37)	0A ELECTRIC	< Hi Side	3	ETC Source4 26deg	575w	L174+R119	
(38)	0A ELECTRIC	< Hi Side	4	ETC Source4 26deg	575w	L174+R119	
(39)	2ND ELECTRIC	< Hi Side	1	ETC Source4 36deg	575w	L174+R119	
(40)	2ND ELECTRIC	< Hi Side	2	ETC Source4 36deg	575w	L174+R119	
(41)	2ND ELECTRIC	< Hi Side	3	ETC Source4 26deg	575w	L174+R119	
(42)	2ND ELECTRIC	< Hi Side	4	ETC Source4 26deg	575w	L174+R119	



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(43)	3RD ELECTRIC	< Hi Side	1	ETC Source4 36deg	575w	L174+R119	
(44)	3RD ELECTRIC	< Hi Side	2	ETC Source4 26deg	575w	L174+R119	
(45)	3RD ELECTRIC	< Hi Side	3	ETC Source4 26deg	575w	L174+R119	
(46)	4TH ELECTRIC	< Hi Side	1	ETC Source4 36deg	575w	L174+R119	
(47)	4TH ELECTRIC	< Hi Side	2	ETC Source4 26deg	575w	L174+R119	
(48)	4TH ELECTRIC	< Hi Side	3	ETC Source4 26deg	575w	L174+R119	
(51)	#1 HL BOX BOOM	Side >	4	ETC Source4 26deg	575w	L174+R119	
(52)	#1 HL BOX BOOM	Side >	3	ETC Source4 26deg	575w	L174+R119	
(53)	#1 HL BOX BOOM	Side >	2	ETC Source4 36deg	575w	L174+R119	
(54)	#1 HL BOX BOOM	Side >	1	ETC Source4 36deg	575w	L174+R119	
(55)	1ST ELECTRIC	Hi Side >	19	ETC Source4 36deg	575w	L174+R119	
(56)	1ST ELECTRIC	Hi Side >	18	ETC Source4 36deg	575w	L174+R119	
(57)	1ST ELECTRIC	Hi Side >	17	ETC Source4 26deg	575w	L174+R119	
(58)	1ST ELECTRIC	Hi Side >	16	ETC Source4 26deg	575w	L174+R119	
(59)	2ND ELECTRIC	Hi Side >	18	ETC Source4 36deg	575w	L174+R119	
(60)	2ND ELECTRIC	Hi Side >	17	ETC Source4 36deg	575w	L174+R119	
(61)	2ND ELECTRIC	Hi Side >	16	ETC Source4 26deg	575w	L174+R119	
(62)	2ND ELECTRIC	Hi Side >	15	ETC Source4 26deg	575w	L174+R119	
(63)	3RD ELECTRIC	Hi Side >	13	ETC Source4 36deg	575w	L174+R119	
(64)	3RD ELECTRIC	Hi Side >	12	ETC Source4 26deg	575w	L174+R119	
(65)	3RD ELECTRIC	Hi Side >	11	ETC Source4 26deg	575w	L174+R119	
(66)	4TH ELECTRIC	Hi Side >	15	ETC Source4 36deg	575w	L174+R119	
(67)	4TH ELECTRIC	Hi Side >	14	ETC Source4 26deg	575w	L174+R119	
(68)	4TH ELECTRIC	Hi Side >	13	ETC Source4 26deg	575w	L174+R119	
(71)	2ND ELECTRIC	BX	5	ETC Source4 PAR WFL	575w	L071+HS	
(72)	2ND ELECTRIC	BX	7	ETC Source4 PAR WFL	575w	L071+HS	
(73)	2ND ELECTRIC	BX	9	ETC Source4 PAR WFL	575w	L071+HS	



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(74)	2ND ELECTRIC	BX	11	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(75)	2ND ELECTRIC	BX	14	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(76)	3RD ELECTRIC	BX	4	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(77)	3RD ELECTRIC	BX	5	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(78)	3RD ELECTRIC	BX	6	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(79)	3RD ELECTRIC	BX	7	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(80)	3RD ELECTRIC	BX	10	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(81)	4TH ELECTRIC	BX	4	ETC Source4 PAR MFL	575w	<input checked="" type="radio"/> L071+HS	
(82)	4TH ELECTRIC	BX	5	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(83)	4TH ELECTRIC	BX	7	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(84)	4TH ELECTRIC	BX	10	ETC Source4 PAR WFL	575w	<input checked="" type="radio"/> L071+HS	
(85)	4TH ELECTRIC	BX	12	ETC Source4 PAR MFL	575w	<input checked="" type="radio"/> L071+HS	
(91)	#2 SL BOOM	Shin	1	ETC Source4 LEDLS 36deg	117w		
(92)	#1 SL BOOM	Shin	1	ETC Source4 LEDLS 36deg	117w		
(93)	#1 SR BOOM	Shin	1	ETC Source4 LEDLS 36deg	117w		
(94)	#2 SR BOOM	Shin	1	ETC Source4 LEDLS 36deg	117w		
(95)	#2 SL BOOM	Mid	2	Altman 65 6in Fresnel	750w	<input type="radio"/> N/C	
(96)	#1 SL BOOM	Mid	2	Altman 65 6in Fresnel	750w	<input type="radio"/> N/C	
(97)	#1 SR BOOM	Mid	2	Altman 65 6in Fresnel	750w	<input type="radio"/> N/C	
(98)	#2 SR BOOM	Mid	2	Altman 65 6in Fresnel	750w	<input type="radio"/> N/C	



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(99)	#2 SL BOOM	Head Lo	3	ETC Source4 LEDLS 36deg	117w		
(100)	#1 SL BOOM	Head Lo	3	ETC Source4 LEDLS 36deg	117w		
(101)	#1 SR BOOM	Head Lo	3	ETC Source4 LEDLS 36deg	117w		
(102)	#2 SR BOOM	Head Lo	3	ETC Source4 LEDLS 36deg	117w		
(103)	#2 SL BOOM	Head Hi	4	ETC Source4 36deg	575w	<input type="radio"/> R132	
(104)	#1 SL BOOM	Head Hi	4	ETC Source4 36deg	575w	<input type="radio"/> R132	
(105)	#1 SR BOOM	Head Hi	4	ETC Source4 36deg	575w	<input type="radio"/> R132	
(106)	#2 SR BOOM	Head Hi	4	ETC Source4 36deg	575w	<input type="radio"/> R132	
(111)	#2 SL BOOM	Moon and Me Wash	5	ETC Source4 PARNel	575w	<input checked="" type="radio"/> L799+HS	
(112)	#1 SL BOOM	Moon and Me Wash	5	ETC Source4 PARNel	575w	<input checked="" type="radio"/> L799+HS	
(113)	#1 SR BOOM	Moon and Me Wash	5	ETC Source4 PARNel	575w	<input checked="" type="radio"/> L799+HS	
(114)	#2 SR BOOM	Moon and Me Wash	5	ETC Source4 PARNel	575w	<input checked="" type="radio"/> L799+HS	
(121)	#3 HR BOX BOOM	Wash	3	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(122)	#3 HR BOX BOOM	Wash	4	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(123)	#3 HL BOX BOOM	Wash	3	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(124)	#3 HL BOX BOOM	Wash	4	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(131)	#2 HR BOX BOOM	< Diag Fnt	2	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(132)	#2 HR BOX BOOM	< Diag Fnt	3	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(133)	#2 HR BOX BOOM	< Diag Fnt	4	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(134)	#2 HL BOX BOOM	Diag Fnt >	2	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	
(135)	#2 HL BOX BOOM	Diag Fnt >	3	ETC Source4 LED2LS 36deg	171w	<input type="radio"/> R119	



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(136)	#2 HL BOX BOOM	Diag Fnt >	4	ETC Source4 LED2LS 36deg	171w	☐ R119	
(141)	5TH ELECTRIC	Platform BX	2	ETC Source4 26deg	575w	⦿ R64+R119	
(142)	5TH ELECTRIC	Platform BX	3	ETC Source4 26deg	575w	⦿ R64+R119	
(143)	5TH ELECTRIC	Platform BX	4	ETC Source4 26deg	575w	⦿ R64+R119	
(144)	5TH ELECTRIC	Stair BX	5	ETC Source4 19deg	575w	⦿ L200+R119	
(145)	4TH ELECTRIC	Stair BX	11	ETC Source4 19deg	575w	⦿ L200+R119	
(146)	3RD ELECTRIC	Stair Fnts	9	ETC Source4 19deg	575w	⦿ L200+R119	
(147)	2ND ELECTRIC	Stair Fnts	13	ETC Source4 19deg	575w	⦿ L200+R119	
(151)	4TH ELECTRIC	Platform Dn	6	Altman 65 6in Fresnel	750w	● R99	
(152)	4TH ELECTRIC	Platform Dn	8	Altman 65 6in Fresnel	750w	● R99	
(153)	4TH ELECTRIC	Stair Dn	9	Altman 65 6in Fresnel	750w	● R99	
(154)	3A ELECTRIC	Stair Dn	2	Altman 65 6in Fresnel	750w	● R99	
(155)	3RD ELECTRIC	Stair Dn	8	Altman 65 6in Fresnel	750w	● R99	
(161)	2A ELECTRIC	BX Wash	2	ETC Source4 LEDDS 50deg	140w	☐ R119	
(162)	2A ELECTRIC	BX Wash	5	ETC Source4 LEDDS 50deg	140w	☐ R119	
(163)	3A ELECTRIC	C BX Wash	1	ETC Source4 LEDDS 50deg	140w	☐ R119	
(171)	1ST ELECTRIC	SL Portal Bx	5	ETC Source4 Zoom 15-30deg 750W	750w	☐ N/C	
	"	"	6	"	"	"	
(172)	1ST ELECTRIC	Porthole	7	ETC Source4 10deg	575w	☐ N/C	
(173)	1ST ELECTRIC	SR Portal Bx	14	ETC Source4 Zoom 15-30deg 750W	750w	☐ N/C	
	"	"	15	"	"	"	
(181)	1ST CAT HI	Conducto r Sp	4	ETC Source4 10deg	575w		



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(182)	1ST CAT LO	Morticia Portraits	6	ETC Source4 19deg	575w		
	"	"	7	"	"		
	"	"	8	"	"		
(183)	1ST CAT LO	Central Park Moon WM	11	ETC Source4 19deg	575w	L021+R132	
(184)	2ND ELECTRIC	Boudior Stair	8	ETC Source4 19deg	575w	R119	
(185)	2ND ELECTRIC	Grotto Stair	10	ETC Source4 19deg	575w	R119	
(186)	2A ELECTRIC	Dinner Table	1	ETC Source4 50deg	575w		
	"	"	6	"	"		
(187)	5TH ELECTRIC	Window	1	ETC Source4 26deg	575w	R368+R132	
(188)	5TH ELECTRIC	Window	6	ETC Source4 26deg	575w	R368+R132	
(189)	1ST CAT LO	Central Park Moon CL	10	ETC Source4 19deg	575w	R367	
(191)	1ST ELECTRIC	C Side Dn	9	ETC Source4 26deg	575w	N/C	
(192)	1ST ELECTRIC	C Side Dn	12	ETC Source4 26deg	575w	N/C	
(201)	2ND CAT	Spot 3	1	ETC Source4 LED2LS 19deg	171w	R132	
(202)	2ND CAT	Spot 1	2	ETC Source4 LED2LS 19deg	171w	R132	
(203)	2ND CAT	Spot 2	3	ETC Source4 LED2LS 19deg	171w	R132	
(204)	2ND CAT	Spot 4	4	ETC Source4 LED2LS 19deg	171w	R132	
(211)	DECK	Footlights	1	Altman 3in Fresnel	100w	N/C	
(212)	DECK	Footlights	2	Altman 3in Fresnel	100w	N/C	
(213)	DECK	Footlights	3	Altman 3in Fresnel	100w	N/C	
(214)	DECK	Footlights	4	Altman 3in Fresnel	100w	N/C	
(215)	DECK	Footlights	5	Altman 3in Fresnel	100w	N/C	
(216)	DECK	Footlights	6	Altman 3in Fresnel	100w	N/C	



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(217)	DECK	Footlights	7	Altman 3in Fresnel	100w	<input type="radio"/> N/C	
(218)	DECK	Footlights	8	Altman 3in Fresnel	100w	<input type="radio"/> N/C	
(219)	DECK	Footlights	9	Altman 3in Fresnel	100w	<input type="radio"/> N/C	
(221)	PORTAL	LED Portal	1	USITT Practical Luminaire			
(222)	PORTAL	LED Portal	2	USITT Practical Luminaire			
(223)	PORTAL	Addams Sign	3	USITT Practical			
(224)	PORTAL	LED Portal	4	USITT Practical Luminaire			
(225)	PORTAL	LED Portal	5	USITT Practical Luminaire			
(231)	PRACTICAL	Floor Candelabras	2	USITT Practical			
(232)	PRACTICAL	Floor Candelabras	3	USITT Practical			
(233)	PRACTICAL	Chandeliers	1	USITT Practical			
	"	"	2	"			
(234)	PRACTICAL	Fireplace	4	USITT Practical Luminaire			
(235)	PRACTICAL	Platform Chandelier	3	USITT Practical			
(241)	UNDER PLATFORM		1	Chauvet DJ Freedom Q1N	35w		
(242)	UNDER PLATFORM		2	Chauvet DJ Freedom Q1N	35w		
(243)	UNDER PLATFORM		3	Chauvet DJ Freedom Q1N	35w		
(244)	UNDER PLATFORM		4	Chauvet DJ Freedom Q1N	35w		
(245)	UNDER PLATFORM		5	Chauvet DJ Freedom Q1N	35w		
(246)	UNDER PLATFORM		6	Chauvet DJ Freedom Q1N	35w		
(251)	DECK	Streetlamp	1	USITT Practical Luminaire			



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(261)	#1 SL BOOM	DS Texture	6	ETC Source4 36deg	575w	<input checked="" type="radio"/> R132	
(262)	#2 SL BOOM	MS Texture	6	ETC Source4 50deg	575w	<input type="radio"/> R132	
(263)	#1 SR BOOM	DS Texture	6	ETC Source4 36deg	575w	<input checked="" type="radio"/> R132	
(264)	#2 SR BOOM	MS Texture	6	ETC Source4 50deg	575w	<input type="radio"/> R132	
(271)	DECK		2	City Theatrical Dry Ice Fog Machine			
(272)	DECK		1	UltratecFX Radiance Hazer	500w		
(291)	#3 HR BOX BOOM	Spare	2	ETC Source4 19deg	575w	<input checked="" type="radio"/> R132	
(292)	#3 HR BOX BOOM	Spare	1	ETC Source4 19deg	575w	<input type="radio"/> R132	
(293)	#3 HL BOX BOOM	Spare	2	ETC Source4 19deg	575w	<input checked="" type="radio"/> R132	
(294)	#3 HL BOX BOOM	Spare	1	ETC Source4 19deg	575w	<input type="radio"/> R132	
(301)	#2 HR BOX BOOM		1	High End Systems Studio Color 250	375w		
(302)	#2 HL BOX BOOM		1	High End Systems Studio Color 250	375w		
(303)	2A ELECTRIC		3	High End Systems Studio Color 250	375w		
(304)	2A ELECTRIC		4	High End Systems Studio Color 250	375w		
(311)	1ST CAT LO		1	High End Systems Studio Spot 250	375w		
(312)	1ST CAT LO		12	High End Systems Studio Spot 250	375w		
(321)	0A ELECTRIC		1	Light Instr Elation Platinum Profile 35 Pro (BA)	1,044w		
(322)	0A ELECTRIC		4	Light Instr Elation Platinum Profile 35 Pro (BA)	1,044w		
(331)	1ST ELECTRIC		10	Martin MAC Viper AirFX	1,225w		



The Addams Family Musical

Chan	Position	Purpose	U#	Instrument Type	Load	Color	Dimmer
(332)	2ND ELECTRIC		6	Martin MAC Viper AirFX	1,225w		
(333)	2ND ELECTRIC		12	Martin MAC Viper AirFX	1,225w		



The Addams Family Musical

Ohio Northern University
Freed Center for the Performing Arts

Lighting Designer: Trey Brazeal
Asst Lighting Designer: Ren Cassidy
tbrazealsigns@gmail.com

TABLE OF CONTENTS

#3 HR BOX BOOM	1	2A ELECTRIC	5
#3 HL BOX BOOM	1	3RD ELECTRIC	6
2ND CAT	1	3A ELECTRIC	6
#2 HR BOX BOOM	1	4TH ELECTRIC	7
#2 HL BOX BOOM	2	5TH ELECTRIC	7
1ST CAT HI	2	UNDER PLATFORM	8
1ST CAT LO	2	#1 SL BOOM	8
#1 HR BOX BOOM	3	#2 SL BOOM	8
#1 HL BOX BOOM	3	#1 SR BOOM	9
0A ELECTRIC	3	#2 SR BOOM	9
1ST ELECTRIC	4	PRACTICAL	9
2ND ELECTRIC	5	PORTAL	10
		DECK	10



The Addams Family Musical

Ohio Northern University
Freed Center for the Performing Arts

Lighting Designer: Trey Brazeal
Asst Lighting Designer: Ren Cassidy
tbrazealsesigns@gmail.com

#3 HR BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Spare	ETC Source4 19deg	575w	(292)		<input type="checkbox"/>
2	Spare	ETC Source4 19deg	575w	(291)		<input type="checkbox"/>
3	Wash	ETC Source4 LED2LS 36deg	171w	(121)		<input type="checkbox"/>
4	Wash	ETC Source4 LED2LS 36deg	171w	(122)		<input type="checkbox"/>

#3 HL BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Spare	ETC Source4 19deg	575w	(294)		<input type="checkbox"/>
2	Spare	ETC Source4 19deg	575w	(293)		<input type="checkbox"/>
3	Wash	ETC Source4 LED2LS 36deg	171w	(123)		<input type="checkbox"/>
4	Wash	ETC Source4 LED2LS 36deg	171w	(124)		<input type="checkbox"/>

2ND CAT

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Spot 3	ETC Source4 LED2LS 19deg	171w	(201)		<input type="checkbox"/>
2	Spot 1	ETC Source4 LED2LS 19deg	171w	(202)		<input type="checkbox"/>
3	Spot 2	ETC Source4 LED2LS 19deg	171w	(203)		<input type="checkbox"/>
4	Spot 4	ETC Source4 LED2LS 19deg	171w	(204)		<input type="checkbox"/>

#2 HR BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1		High End Systems Studio Color 250	375w	(301)		
2	< Diag Fnt	ETC Source4 LED2LS 36deg	171w	(131)		<input type="checkbox"/>
3	< Diag Fnt	ETC Source4 LED2LS 36deg	171w	(132)		<input type="checkbox"/>
4	< Diag Fnt	ETC Source4 LED2LS 36deg	171w	(133)		<input type="checkbox"/>



The Addams Family Musical

#2 HL BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1		High End Systems Studio Color 250	375w	(302)		
2	Diag Fnt >	ETC Source4 LED2LS 36deg	171w	(134)		
3	Diag Fnt >	ETC Source4 LED2LS 36deg	171w	(135)		
4	Diag Fnt >	ETC Source4 LED2LS 36deg	171w	(136)		

1ST CAT HI

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	DSL	ETC Source4 26deg	575w	(1)		
2	DSL	ETC Source4 26deg	575w	(2)		
3	DSC	ETC Source4 26deg	575w	(3)		
4	Conductor Sp	ETC Source4 10deg	575w	(181)		
5	DSCR	ETC Source4 26deg	575w	(4)		
6	DSR	ETC Source4 26deg	575w	(5)		

1ST CAT LO

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1		High End Systems Studio Spot 250	375w	(311)		
2	MSL	ETC Source4 26deg	575w	(6)		
3	MSLC	ETC Source4 26deg	575w	(7)		
4	MSC	ETC Source4 26deg	575w	(8)		
5	MSCR	ETC Source4 26deg	575w	(9)		
6	Morticia Portraits	ETC Source4 19deg	575w	(182)		
7	Morticia Portraits	ETC Source4 19deg	575w	(182)		
8	Morticia Portraits	ETC Source4 19deg	575w	(182)		
9	MSR	ETC Source4 26deg	575w	(10)		
10	Central Park Moon CL	ETC Source4 19deg	575w	(189)		
11	Central Park Moon WM	ETC Source4 19deg	575w	(183)		
12		High End Systems Studio Spot 250	375w	(312)		



The Addams Family Musical

#1 HR BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	< Side	ETC Source4 36deg	575w	(34)		
2	< Side	ETC Source4 36deg	575w	(33)		
3	< Side	ETC Source4 26deg	575w	(32)		
4	< Side	ETC Source4 26deg	575w	(31)		

#1 HL BOX BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Side >	ETC Source4 36deg	575w	(54)		
2	Side >	ETC Source4 36deg	575w	(53)		
3	Side >	ETC Source4 26deg	575w	(52)		
4	Side >	ETC Source4 26deg	575w	(51)		

0A ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	< Hi Side	ETC Source4 36deg	575w	(35)		
1		Light Instr Elation Platinum Profile 35 Pro (BA)	1,044w	(321)		
2	USLC	ETC Source4 26deg	575w	(12)		
2	< Hi Side	ETC Source4 36deg	575w	(36)		
3	USRC	ETC Source4 26deg	575w	(14)		
3	< Hi Side	ETC Source4 26deg	575w	(37)		
4	< Hi Side	ETC Source4 26deg	575w	(38)		
4		Light Instr Elation Platinum Profile 35 Pro (BA)	1,044w	(322)		
8	USL	ETC Source4 26deg	575w	(11)		
13	USR	ETC Source4 26deg	575w	(15)		



The Addams Family Musical

1ST ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
5	SL Portal Bx	ETC Source4 Zoom 15-30deg 750W	750w	(171)		
6	SL Portal Bx	ETC Source4 Zoom 15-30deg 750W	750w	(171)		
7	Porthole	ETC Source4 10deg	575w	(172)		
9	C Side Dn	ETC Source4 26deg	575w	(191)		
10		Martin MAC Viper AirFX	1,225w	(331)		
11	USC	ETC Source4 26deg	575w	(13)		
12	C Side Dn	ETC Source4 26deg	575w	(192)		
14	SR Portal Bx	ETC Source4 Zoom 15-30deg 750W	750w	(173)		
15	SR Portal Bx	ETC Source4 Zoom 15-30deg 750W	750w	(173)		
16	Hi Side >	ETC Source4 26deg	575w	(58)		
17	Hi Side >	ETC Source4 26deg	575w	(57)		
18	Hi Side >	ETC Source4 36deg	575w	(56)		
19	Hi Side >	ETC Source4 36deg	575w	(55)		



The Addams Family Musical

2ND ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	< Hi Side	ETC Source4 36deg	575w	(39)		
2	< Hi Side	ETC Source4 36deg	575w	(40)		
3	< Hi Side	ETC Source4 26deg	575w	(41)		
4	< Hi Side	ETC Source4 26deg	575w	(42)		
5	BX	ETC Source4 PAR WFL	575w	(71)		
6		Martin MAC Viper AirFX	1,225w	(332)		
7	BX	ETC Source4 PAR WFL	575w	(72)		
8	Boudior Stair	ETC Source4 19deg	575w	(184)		
9	BX	ETC Source4 PAR WFL	575w	(73)		
10	Grotto Stair	ETC Source4 19deg	575w	(185)		
11	BX	ETC Source4 PAR WFL	575w	(74)		
12		Martin MAC Viper AirFX	1,225w	(333)		
13	Stair Fnts	ETC Source4 19deg	575w	(147)		
14	BX	ETC Source4 PAR WFL	575w	(75)		
15	Hi Side >	ETC Source4 26deg	575w	(62)		
16	Hi Side >	ETC Source4 26deg	575w	(61)		
17	Hi Side >	ETC Source4 36deg	575w	(60)		
18	Hi Side >	ETC Source4 36deg	575w	(59)		

2A ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Dinner Table	ETC Source4 50deg	575w	(186)		
2	BX Wash	ETC Source4 LEDDS 50deg	140w	(161)		
3		High End Systems Studio Color 250	375w	(303)		
4		High End Systems Studio Color 250	375w	(304)		
5	BX Wash	ETC Source4 LEDDS 50deg	140w	(162)		
6	Dinner Table	ETC Source4 50deg	575w	(186)		



The Addams Family Musical

3RD ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	< Hi Side	ETC Source4 36deg	575w	(43)		
2	< Hi Side	ETC Source4 26deg	575w	(44)		
3	< Hi Side	ETC Source4 26deg	575w	(45)		
4	BX	ETC Source4 PAR WFL	575w	(76)		
5	BX	ETC Source4 PAR WFL	575w	(77)		
6	BX	ETC Source4 PAR WFL	575w	(78)		
7	BX	ETC Source4 PAR WFL	575w	(79)		
8	Stair Dn	Altman 65 6in Fresnel	750w	(155)		
9	Stair Fnts	ETC Source4 19deg	575w	(146)		
10	BX	ETC Source4 PAR WFL	575w	(80)		
11	Hi Side >	ETC Source4 26deg	575w	(65)		
12	Hi Side >	ETC Source4 26deg	575w	(64)		
13	Hi Side >	ETC Source4 36deg	575w	(63)		

3A ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	C BX Wash	ETC Source4 LEDDS 50deg	140w	(163)		
2	Stair Dn	Altman 65 6in Fresnel	750w	(154)		



The Addams Family Musical

4TH ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	< Hi Side	ETC Source4 36deg	575w	(46)		
2	< Hi Side	ETC Source4 26deg	575w	(47)		
3	< Hi Side	ETC Source4 26deg	575w	(48)		
4	BX	ETC Source4 PAR MFL	575w	(81)		
5	BX	ETC Source4 PAR WFL	575w	(82)		
6	Platform Dn	Altman 65 6in Fresnel	750w	(151)		
7	BX	ETC Source4 PAR WFL	575w	(83)		
8	Platform Dn	Altman 65 6in Fresnel	750w	(152)		
9	Stair Dn	Altman 65 6in Fresnel	750w	(153)		
10	BX	ETC Source4 PAR WFL	575w	(84)		
11	Stair BX	ETC Source4 19deg	575w	(145)		
12	BX	ETC Source4 PAR MFL	575w	(85)		
13	Hi Side >	ETC Source4 26deg	575w	(68)		
14	Hi Side >	ETC Source4 26deg	575w	(67)		
15	Hi Side >	ETC Source4 36deg	575w	(66)		

5TH ELECTRIC

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Window	ETC Source4 26deg	575w	(187)		
2	Platform BX	ETC Source4 26deg	575w	(141)		
3	Platform BX	ETC Source4 26deg	575w	(142)		
4	Platform BX	ETC Source4 26deg	575w	(143)		
5	Stair BX	ETC Source4 19deg	575w	(144)		
6	Window	ETC Source4 26deg	575w	(188)		



The Addams Family Musical

UNDER PLATFORM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1		Chauvet DJ Freeddom Q1N	35w	(241)		
2		Chauvet DJ Freeddom Q1N	35w	(242)		
3		Chauvet DJ Freeddom Q1N	35w	(243)		
4		Chauvet DJ Freeddom Q1N	35w	(244)		
5		Chauvet DJ Freeddom Q1N	35w	(245)		
6		Chauvet DJ Freeddom Q1N	35w	(246)		

#1 SL BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Shin	ETC Source4 LEDLS 36deg	117w	(92)		
2	Mid	Altman 65 6in Fresnel	750w	(96)		
3	Head Lo	ETC Source4 LEDLS 36deg	117w	(100)		
4	Head Hi	ETC Source4 36deg	575w	(104)		
5	Moon and Me Wash	ETC Source4 PARNel	575w	(112)		
6	DS Texture	ETC Source4 36deg	575w	(261)		

#2 SL BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Shin	ETC Source4 LEDLS 36deg	117w	(91)		
2	Mid	Altman 65 6in Fresnel	750w	(95)		
3	Head Lo	ETC Source4 LEDLS 36deg	117w	(99)		
4	Head Hi	ETC Source4 36deg	575w	(103)		
5	Moon and Me Wash	ETC Source4 PARNel	575w	(111)		
6	MS Texture	ETC Source4 50deg	575w	(262)		



The Addams Family Musical

#1 SR BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Shin	ETC Source4 LEDLS 36deg	117w	(93)		
2	Mid	Altman 65 6in Fresnel	750w	(97)		<input type="radio"/>
3	Head Lo	ETC Source4 LEDLS 36deg	117w	(101)		
4	Head Hi	ETC Source4 36deg	575w	(105)		<input type="radio"/>
5	Moon and Me Wash	ETC Source4 PARNel	575w	(113)		<input checked="" type="radio"/>
6	DS Texture	ETC Source4 36deg	575w	(263)		<input type="radio"/>

#2 SR BOOM

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Shin	ETC Source4 LEDLS 36deg	117w	(94)		
2	Mid	Altman 65 6in Fresnel	750w	(98)		<input type="radio"/>
3	Head Lo	ETC Source4 LEDLS 36deg	117w	(102)		
4	Head Hi	ETC Source4 36deg	575w	(106)		<input type="radio"/>
5	Moon and Me Wash	ETC Source4 PARNel	575w	(114)		<input checked="" type="radio"/>
6	MS Texture	ETC Source4 50deg	575w	(264)		<input type="radio"/>

PRACTICAL

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Chandeliers	USITT Practical		(233)		
2	Chandeliers	USITT Practical		(233)		
2	Floor Candelabras	USITT Practical		(231)		
3	Platform Chandelier	USITT Practical		(235)		
3	Floor Candelabras	USITT Practical		(232)		
4	Fireplace	USITT Practical Luminaire		(234)		



The Addams Family Musical

PORTAL

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	LED Portal	USITT Practical Luminaire		(221)		
2	LED Portal	USITT Practical Luminaire		(222)		
3	Addams Sign	USITT Practical		(223)		
4	LED Portal	USITT Practical Luminaire		(224)		
5	LED Portal	USITT Practical Luminaire		(225)		

DECK

U#	Purpose	Instrument Type	Load	Channel	Dimmer	Color
1	Footlights	Altman 3in Fresnel	100w	(211)		<input type="checkbox"/>
1	Streetlamp	USITT Practical Luminaire		(251)		
1		UltratecFX Radiance Hazer	500w	(272)		
2	Footlights	Altman 3in Fresnel	100w	(212)		<input type="checkbox"/>
2		City Theatrical Dry Ice Fog Machine		(271)		
3	Footlights	Altman 3in Fresnel	100w	(213)		<input type="checkbox"/>
4	Footlights	Altman 3in Fresnel	100w	(214)		<input type="checkbox"/>
5	Footlights	Altman 3in Fresnel	100w	(215)		<input type="checkbox"/>
6	Footlights	Altman 3in Fresnel	100w	(216)		<input type="checkbox"/>
7	Footlights	Altman 3in Fresnel	100w	(217)		<input type="checkbox"/>
8	Footlights	Altman 3in Fresnel	100w	(218)		<input type="checkbox"/>
9	Footlights	Altman 3in Fresnel	100w	(219)		<input type="checkbox"/>